CASE NUMBER: SUP24-03-03 DATE RECEIVED: February 23, 2023 DATE OF MEETING: March 12, 2024 and March 26, 2024

Address: 1943 Lakeshore Subdivision: City of Mandeville, Square 2 Lot 2A Zoning District: B-3 Old Mandeville Business District Property Owner: Cayman Sinclair Previous Case: 215-08-09

REQUEST: SUP24-03-03 – Cayman Sinclair requests a revision to Special Use Approval Z15-08-09 per CLURO Section 4.3.2.11. Amendments to Special Use Permit Approvals, City of Mandeville, Square 2 Lot 2A, B-3 Old Mandeville Business District, 1943 Lakeshore Drive

#### CASE SUMMARY:

The property at 1943 Lakeshore is located along Lakeshore Dr., east of Girod St., and west of Marigny Ave. The property measures 63.6' x 141.75' and has a square footage of 9,015.3 per a survey prepared by Randall Brown & Associates and dated 6.30.1993. The property is currently improved with a mixed-use structure, 3 residential units and 1 commercial unit.

The applicant is requesting a revision to the site plan approved with Z15-08-09 in conjunction with proposed renovations and repairs to the structure due to Hurricane Ida.

In 2015 the property received approval for a sit-down restaurant for Blent juice bar. The approval also included the following variances approved with the site plan:

- Buffer requirement reduction of 927.5 square feet in the buffer as follows:
  - 583.75 square feet along the east property line (existing driveway)
  - 113.75 square feet along the west property line (required ADA ramp)
  - 130 square feet along the west property line (existing building)
  - 100 square feet along the west property line (new trash enclosure)
- Removal of five parking spaces in the front of the building and the submittal of a Landscape Plan to create green space in the right-of-way with a 5' sidewalk. The Landscape Plan to be approved by the Planning Director.
  - Rear fence would not be required in accordance with the neighbor's request.

The previous approval allowed for ten parking spaces for the site. The applicant is proposing to add two additional parallel parking spaces in front of the building. The 2015 approval stipulated that the applicant was to remove the parking spaces in the front of the building and install greenspace. It is recommended by Dept. of Public Works that if the parking spaces are approved, they should be parallel as the perpendicular spaces are not sufficient in length.

The existing site is a legal nonconforming site, being noncompliant with setbacks, and impervious area coverage.

#### **Setback Requirements**

The current building encroaches into the west side setback by 9'-8  $\frac{1}{2}$ ", and the front setback by 13'-11". The applicant is requesting to encroach up to the property line on both the west and front side to rebuild the previously existing front deck that was destroyed during Hurricane Ida.

#### Pervious/Impervious Area

The site currently has 82.8% impervious area coverage and 17.2% pervious area coverage. The B-3 site development criteria requires a maximum of 75% impervious coverage. This would require a variance of 7.8% impervious coverage. The applicant stated there would be no change to the pervious area on the site.

A landscape plan was not submitted with the previous approval and will be required to be submitted for permitting approval.

#### **CLURO SECTIONS:**

#### 4.3.2.11. Amendments to Special Use Permit Approvals

The procedural requirements for Special Use Permit Approval as specified in this Section 4.3 et seq. shall apply to an application for modification, expansion, or other change in an approved Site Plan, provided that minor revisions or modifications may be approved by the Planning Director if he determines that the circumstances or conditions applicable at the time of original approval remain valid, and that changes would not affect the findings prescribed in this Section. The Planning Director shall report to the Zoning Commission on a quarterly basis the number and kinds of modifications being approved.

#### 6.4.66. Restaurants - Sit-Down

A business establishment whose principal business is the selling of unpackaged food to the customer in a ready-toconsume state, in individual servings, or in non-disposable containers, where the customer consumes these foods while seated at tables or counters where alcoholic beverages may be served to dining patrons from a service bar (not accessible to patrons) and where there typically is not a rapid turnover of clientele. Special events center services considered to be allowed accessory uses to sit-down restaurants.

#### 7.5.10.3. B-3 Site Development Regulations

Each development site in the B-3 Old Mandeville Business District shall be subject to the site development regulations established in Exhibit 7.5.10., in addition to any other applicable regulations under the provisions of this CLURO or any other laws of the City, state or federal government. Section 8.1 establishes additional rules for application of lot and area requirements. The Planning Director may grant exceptions to the following standards pursuant to section 4.3.5.


Site Development Factor	Standard	Comments.
Minimum Lot Are	7,200 square feet	
Gross Lot Area Per Multi-Family Dwelling Unit	5,500 square feet	
Minimum Building Floor Area	800 square feet	
Maximum Building Ground Floor Area	5,000 square feet	No floor shall exceed this maximum floor area unless the Zoning Commission finds that the building meets the criteria established in section 7.5.10.2.3.
Minimum Lot Width	60 feet	The Planning Director may reduce
Minimum Lot Depth	120 feet	dimensions by up to 10 percent as an exception if the minimum lot area requirements are met.
Minimum Front Setback along Lakeshore Drive	25 feet	
Front Setback along all other Streets	The average of existing setbacks on the nearest two lots, but not less than 10 feet or more than 15 feet	Exceptions to maximum setbacks shall be allowed for courtyards and outdoor dining areas
Minimum Side Street Setback	15 feet	
Minimum Interior Side Setback*	20 feet if side abuts a lot with residential zoning	No setback is required for commercial buildings that extend across a property line or constructed with a firewall on the property line that complies with adopted building codes. The Planning Director may grant an exception for the elevation of existing primary structures where relocation of the building or mechanical equipment are impractical.
i. Frontage up to 50'	8' each side	
ii. Frontage between 51' – 60'	10' each side	
iii. Frontage between 61' – 75'	12' each side	
iv. Frontage between 76' – 80'	13' each side	
v. Frontage between 81' – 90'	15' each side	
vi. Frontage between 91' – 100'	16' each side	
vii. Frontage between 101' -110'	18' each side	
viii. Frontage between 111' - +'	20' each side	
Minimum Rear Setback	20 feet	
Mechanical Appurtenances	All mechanical appurtenances elevated more than 3 feet above grade shall comply with required building setbacks and shall be screened in accordance with Article 9 if located in the front or side yard, regardless of elevation.	The Planning Director may grant an exception for mechanical appurtenance setback encroachments when an existing primary structure is elevated and relocation of the building or mechanical equipment is impractical.
Maximum Structure Height	35 feet	See section 8.1.1 for additional rules regarding Structure Height
Maximum Impervious Site Coverage	75%	

\*The side yard setbacks of the site may be shifted into the opposite side yard by up to 30% so long as the area lost in one required side yard is provided in the opposite side yard and the total minimum setback of the site is provided.




# 1943 LAKESHORE DR. MIXED USE BUILDING HURRICANE IDA REPAIRS & RENOVATIONS


1943 LAKESHORE DRIVE, MANDEVILLE, LOUISIANA



EXISTING BUILDING BEFORE HURRICANE IDA



EXISTING BUILDING AFTER HURRICANE IDA



## WIND LOADING -

2021 IBC, FIGURE 1609 BASIC WIND SPEED, 130 MPH

(IBC 1609.2) - WIND BORNE DEBRIS REGION. PORTIONS FOR HURRICANE-PRONE REGIONS THAT ARE WITHIN 1 MILE (1.61 KM) OF THE COASTAL MEAN HIGH WATER LINE WHERE THE BASIC WIND SPEED IS 130 MPH (48 M/S) OR GREATER +/- OR HAWAII.

(IBC 1609.3) - THE BASIC WIND SPEED, IN MPH, FOR THE DETERMINATION OF THE WIND LOADS SHALL BE DETERMINED BY FIGURE 1609. BASIC WIND SPEED FOR THE SPECIAL WIND REGIONS INDICATED, NEAR MOUNTAINOUS TERRAIN AND NEAR GORGES SHALL BE IN ACCORDANCE WITH SECTION 6.5.4 OR ASCE7.

STRUCTURAL DESIGN -SECTION 6.5.4.2 OF ASCE7. ENCLOSED BUILDING CATEGORY 'II' (IBC 1604.5) SNOW LOAD = 0 (IBC 1608.2) EXPOSURE 'C' (IBC 1609.4) WIND IMPORTANCE FACTOR = 1.0 INTERNAL PRESSURE COEFFICIENT = 1.18 MAIN WIND RESISTING SYSTEM = DIAPHRAGM BUILDING FRAME AND COMPONENTS DESIGNED BASED ON LOADS FROM ASCE 7-05. FLOOR LIVE LOADS - 100 PSF FLOOR DEAD LOADS - 20 PSF ROOF LOADS - DEAD LOAD - 20 PSF

FLOOD ZONE: VE-12 + 2' = 14.0 AMSL

### INDEX OF DRAWINGS

COVER	PROJECT DATA
SURVEY	DATED JAN 16, 1970
A1.0 A1.1 A1.2	KEY PLAN EXISTING CONDITIONS SITE PLAN PROPOSED SITE PLAN
A2.0	PROPOSED GROUND FLOOR PLAN

# PROJECT DATA:

IBC 2021

SETBACKS

RESIDENTIAL, (R-2) 20' SETBACK AT REAR (COMPLIANT)

MIXED USE OCCUPANCY

CONST. TYPE V-B

MIXED USE BUILDING

12' SETBACK ON EAST SIDE (COMPLIANT) 12' SETBACK ON WEST SIDE (9'-8<sup>1</sup>" DEFICIENT) 25' SETBACK AT FRONT (13'-11" DEFICIENT

RESTAURANT, (ASSEMBLY A-2)

BUILDING USE

BUILDING AREARESTAURANT(EXISTING)2,170 SFAPT. 1(EXISTING)1,132 SFAPT. 2(EXISTING)730 SFAPT. 3(EXISTING)718 SFTOTAL BLDG. AREA4,750 SF

TOTAL BLDG. AREA SITE AREA CALCULATIONS: SITE AREA = 9,018 SF PERVIOUS AREA = 1,548 SF

PERVIOUS AREA PROVIDED = 17.2% (7.8% DEFICIENT) PERVIOUS AREA REQUIRED = 25%

IMPERVIOUS AREA PROVIDED = 82.8% (7.8% DEFICIENT) IMPERVIOUS AREA REQUIRED = 75%

## SCOPE OF REPAIRS

- NOT A CHANGE OF OCCUPANCY.
   EXISTING FIRE SEPARATIONS BETWEEN
- OCCUPANCIES TO REMAIN. 3. REPAIRS AND RENOVATIONS ARE LOCATED AT THE GROUND FLOOR ASSEMBLY A-2 RESTAURANT.
- 4. COST OF REPAIRS AND RENOVATIONS ARE LESS THAN 50% OF THE VALUE OF THE EXISTING STRUCTURE.
- 5. ALL REPAIRS AND RENOVATIONS ARE LOCATED BELOW BFE AND ARE TO BE CONSTRUCTED OF DURABLE AND FLOOD RESISTANT MATERIALS.

# INTERNATIONAL EXISTING BUILDING CODE (2021)

ALTERATION - LEVEL 2 LEVEL 2 ALTERATIONS INCLUDE THE RECONFIGURATION OF SPACE, THE ADDITION OR ELIMINATION OF ANY DOOR OR WINDOW, THE RECONFIGURATION OR EXTENSION OF ANY

WINDOW, THE RECONFIGURATION OR EXTENSION OF ANY SYSTEM, OR THE INSTALLATION OF ANY ADDITIONAL EQUIPMENT. (AND WHERE THE WORK AREA IS LESS THAN 50 PERCENT OF THE AGGREGATE AREA OF THE BUILDING.)

# 701.3 COMPLIANCE

ALL <u>NEW</u> CONSTRUCTION ELEMENTS, COMPONENTS, SYSTEMS, AND SPACES SHALL COMPLY WITH THE REQUIREMENTS OF THE INTERNATIONAL BUILDING CODE.

# architecture

235 Girod Street, Mandeville, Louisiana 985.674.3077 www.kvsarchitecture.com


3.1.24



THESE DRAWINGS HAVE BEEN PREPARED BY ME OR UNDER MY DIRECT SUPERVISION, AND TO MY KNOWLEDGE, COMPLY WITH ALL LOCAL, STATE, AND FEDERAL REQUIREMENTS. C. VAUGHAN SOLLBERGER, JR., AIA, NCARB LA# 5523

# Project # 23019

1943 LAKESHORE DR. MIXED USE BUILDING HURRICANE IDA REPAIRS & RENOVATIONS 1943 LAKESHORE DRIVE, MANDEVILLE, LA 70448



REG. 1) SURVEY BY EDDIE J. CHAMPAGNE FOR M.A. GAHAGGNI DATED JAN. 16, 1970. (J) SOUNDARY AGREEMENT RECORDED IN COB EGG FOILO BOIL MARCH 16, 1970. (J) SOUNDARY AGREEMENT RECORDED IN COB EGG FOILO BOIL MARCH 16, 1970. MARCH 17, 1970. MARCH 16, 1970. MARCH		• •		
This is to certify that I have concutted the Federal Instrance Adminiatration Flood Hazard Boundary Maps and faund from provided in Flood Acting area. VIS PORTION OF SQUARE Sundary Name Survey	) SURVEY BY EDDIE J. CHAMPAGNE FOR M.A. GAHAGAN DATED JAN. 16, 1970. JOOUNDORY AGREEMENT RECORDED IN COB 563 FOILD DOI MARCH 16, 1970.	This is to certify that I have done an actual ground survey and found that no ancroachments exist either way across any property lines except as shown.	JOF MANDEVILLE	
This is to certify that I have consulted the Fectoral Insurance Adminiatration Flood Hazard Boundary Maps and found the property described [5] dotated from whether area. VI5 PORTION OF SQUARE 2.			N N N N N	
This is to cartify that I have consultant the Insurance Adminiatration Flood Hazard B and found the property described It is located in Flood Lane. VIE	<b>.</b>	Maps located		
This is to cartify that I have consultance Administration Flood H and found the property described in a special flood hazard area.		<u> </u>		
	• <b>•</b>	- 378 //-		
		-	R R R R R R R R R R R R R R R R R R R	



IMPERVIOUS AREA PROVIDED = 82.8% (7.8% DEFICIENT) IMPERVIOUS AREA REQUIRED = 75%

# PROJECT DATA:

MIXED USE BUILDING

RESTAURANT, (ASSEMBLY A-2) RESIDENTIAL, (R-2)

20' SETBACK AT REAR (COMPLIANT) 12' SETBACK ON EAST SIDE (COMPLIANT) 12' SETBACK ON WEST SIDE (9'-8<sup>1</sup>/<sub>2</sub>" DEFICIENT) 25' SETBACK AT FRONT (13'-11" DEFICIENT)

MIXED USE OCCUPANCY CONST. TYPE V-B


RESTAURANT	(EXISTING)	2,170 SF
APT. 1	(EXISTING)	1,132 SF
APT. 2	(EXISTING)	730 SF
APT. 3	(EXISTING)	718 SF
TOTAL BLDG. A	REA	4,750 SF

PERVIOUS AREA PROVIDED = 17.2% (7.8% DEFICIENT) PERVIOUS AREA REQUIRED = 25%


PERVIOUS AREA  $\frac{\text{KEY PLAN}}{\frac{1}{16}"} = 1'-0"$ 

LEGEND:

BUILDING FOOTPRINT




Gir 674 347 985. VATIONS 70448 HURRI( 1943 (94 REVISIONS: DATE: 3.1.24 PROJECT No: 23019 DRAWING: A1.0



		I	Г	
			-	


-----

**7** PHOTOS OF EXIST. SITE CONDITIONS NO SCALE



### **BUILDING SETBACKS EXISTING BUILDING ENCROACHES FRONT SETBACK.** EXISTING BUILDING ENCROACHES WEST SIDE SETBACK.

**PERVIOUS AREA EXISTING PERVIOUS AREA IS LESS THAN REQUIRED.** 



RI (HURRI( 1943

DRAWING:


A1.1


<u>Ի</u>տ


98 148

ZS










Gir 674

347 985.



## SCOPE OF REPAIRS


- 1. NOT A CHANGE OF OCCUPANCY.
- 2. EXISTING FIRE SEPARATIONS BETWEEN OCCUPANCIES TO REMAIN.
- 3. REPAIRS AND RENOVATIONS ARE LOCATED AT THE GROUND FLOOR ASSEMBLY A-2 RESTAURANT.
- 4. COST OF REPAIRS AND RENOVATIONS ARE LESS THAN 50% OF THE VALUE OF THE EXISTING STRUCTURE.
- 5. ALL REPAIRS AND RENOVATIONS ARE LOCATED BELOW BFE AND ARE TO BE CONSTRUCTED OF DURABLE AND FLOOD RESISTANT MATERIALS.

## INTERNATIONAL EXISTING BUILDING CODE (2021) ALTERATION - LEVEL 2

LEVEL 2 ALTERATIONS INCLUDE THE RECONFIGURATION OF SPACE, THE ADDITION OR ELIMINATION OF ANY DOOR OR WINDOW, THE RECONFIGURATION OR EXTENSION OF ANY SYSTEM, OR THE INSTALLATION OF ANY ADDITIONAL EQUIPMENT. (AND WHERE THE WORK AREA IS LESS THAN 50 PERCENT OF THE AGGREGATE AREA OF THE BUILDING.)

## 701.3 COMPLIANCE

ALL **NEW** CONSTRUCTION ELEMENTS, COMPONENTS, SYSTEMS, AND SPACES SHALL COMPLY WITH THE REQUIREMENTS OF THE INTERNATIONAL BUILDING CODE.



3.1.24 PROJECT No: 23019

DRAWING:



# $\frac{1}{1/4"} = 1'-0"$

#### City of Mandeville Planning and Zoning Commission

DENNIS THOMAS, CHAIRMAN PLANNING COMMISSION

NIXON ADAMS, CHAIRMAN ZONING COMMISSION

LOUISETTE LEONARD SCOTT, AICP, CFM DIRECTOR, DEPT. OF PLANNING & DEVELOPMENT



September 10, 2015

MEMBERS

MICHAEL BLACHE REN CLARK SCOTT QUILLIN SIMMIE FAIRLEY REBECCA BUSH

Mr. Matt D'Agostino c/o Ms. Susan Danielson K C Sollberger and Associates, LLC 347 Girod Street Mandeville, LA 70471

 RE: Z15-08-09 Michael Haydel/Matt D'Agostino request a zoning permit to Section 6.4.63, Restaurant – Sit Down, a part of square 2, 1943 Lakeshore Drive, zoned B-3
 V15-08-11 Michael Haydel/Matt D'Agostino requests a variance to Article 9, Parking and Landscaping, a part of square 22, 1943 Lakeshore Drive, zoned B-3

Dear Mr. D'Agostino:

At the regular monthly meeting of the Planning and Zoning Commission held on Tuesday, August 11, 2015, the Zoning Commission approved a Zoning Permit for a site down restaurant as defined under CLURO Section 6.4.63, as proposed in your application, *a new juice bar and smoothies restaurant "blěnt", which will also include soft serve ice cream and coffee, as well as a variety of liquid bases, superfood boosts and sweeteners.* 

At the regular monthly meeting of the Planning and Zoning Commission held on Tuesday, August 25, 2015, the Zoning Commission approved variances in accordance with the site plan prepared by KVS Architecture dated 8.7.15 to the following:


- Buffer requirement reduction of 927.5 square feet in the buffer as follows:
  - 583.75 square feet along the east property line (existing driveway)
  - 113.75 square feet along the west property line (required ADA ramp)
  - 130 square feet along the west property line (existing building)
  - 100 square feet along the west property line (new trash enclosure)
- Removal of five parking spaces in the front of the building and the submittal of a Landscape Plan to create green space in the right-of-way with a 5' sidewalk. The Landscape Plan to be approved by the Planning Director.
- Rear fence would not be required in accordance with the neighbor's request.

Should you have any questions regarding this matter, please do not hesitate to contact me at 624-3103.

Sincerely,

Louisette L. Scott, AICP, CFM, Director Dept. of Planning & Development


3101 EAST CAUSEWAY APPROACH ! MANDEVILLE, LOUISIANA 70448 ! (985) 624-3103 ! Fax (985) 626-7929











CASE NUMBER: V24-03-11 DATE RECEIVED: January 31, 2023 DATE OF MEETING: March 12, 2024 and March 26, 2024

Address: 2660 Florida Street Ste F Subdivision: City of Mandeville, Lot 30A Zoning District: B-2 Highway Business District Property Owner: George Cella

REQUEST: V24-03-11 – Modesto Posas requests a variance to CLURO Section 10.8.2.6. Land Uses located in B-1, B-2, B-4, O/R, PM-1, PM-2, M-1, and M-2 Districts, City of Mandeville, Square 83 Lot 30A, B-2 Highway Business District, 2660 Florida Street Ste F

#### CASE SUMMARY:

The property at 2660 Florida St. is located within the Florida Street Market Shopping Center. The applicant runs Queyma Food Market, which is located within the center suite of the building.

The applicant is requesting to be allowed to paint the exterior of the unit. Measurement of sign area shall include any material or color forming the sign face and the background used to differentiate the sign from the structure against which it is mounted. Maximum sign area for complex sites is calculated at 1.25 sqft per linear foot of the unit façade.

The length of the unit façade is 65' allowing for 81.25 sqft of signage. Painting the unit would bring the total amount of signage to 593 sqft.

At the March 12<sup>th</sup> meeting the Commission asked if the applicant was willing to consider any options for a reduced amount of painted area. The applicant submitted an updated mockup of the storefront, reducing the amount of painted square footage to 96 sqft. This would exceed the maximum allowed square footage by 14.75 sqft.

#### **CLURO SECTIONS:**

10.8.2.6. Land Uses located in B-1, B-2, B-4, O/R, PM-1, PM-2, M-1, and M-2 Districts.

Permitted Signs Allowed by District and	Use: Land Uses located in B-1, B-2, B-4, O	/R, PM-1, PM-2, M-1, and M-2 Districts.
Land Use	Attached (wall or blade) Signs, Canopy	Monument Signs or Free-Standing
	(or awning) Signs, and Hanging Signs	Signs with Wooden Posts
All land uses occupying complex sites	One (1) wall, canopy, hanging, or	One (1) monument or free-standing
	blade sign is permitted per unit,	sign is permitted per street frontage
	subject to all the following:	provided the maximum sign area is
	<ul> <li>Wall and blade maximum sign</li> </ul>	calculated at one half (0.5) square feet
	area is calculated at one and	per linear foot of street frontage up to
	one-fourth (1.25) square feet	a maximum of 120 square feet per
	per linear foot of the unit	sign.
	facade. The linear footage	
	shall be measured along the	Sign may be externally or internally
	wall of the facade on which	illuminated but may not cause any
	the sign will be located. For	uplight or glare.
	units with less than twenty-	
	five (25) linear feet the	If a free-standing sign is used, two-
	maximum size is thirty-two	posts measuring four inches by four
	(32) square feet.	inches or larger must be used. Posts
	Canopy sign maximum sign	must be composed of wood and must
	area is twelve (12) square feet	be incorporated as a visual design
	per unit.	element of the sign.
	Hanging sign maximum sign	
	area is six (6) square feet per	
	unit. Hanging signs must have	
	a minimum clearance height	
	of eight (8) feet above grade.	
	• Sign may be externally or	
	internally illuminated but may	
	not cause any uplight or glare	

Multi-Occupant Premises (Shopping Center / Campus), Complex Sites, and Large Site Development. Buildings with multiple separately leased units or large site developments having more than four hundred (400) feet of street frontage.





# Queyma

# FOOD MARKET

BEST PRICES WINE & SPIF BEERLW CBD\* Contraction ( Support of the Support

96 sqf to painted





CASE NUMBER: V24-03-12 DATE RECEIVED: February 6, 2023 DATE OF MEETING: March 12, 2024 and March 26, 2024

Address: 604 Marigny Subdivision: Old Town of Mandeville, Square 48 Lot 12-A-1 Zoning District: R-1 Single Family Residential Property Owner: Brian and Robyn Jackson

REQUEST: V24-03-12 – Brian and Robyn Jackson request a variance to CLURO Section 8.1.1.4. Allowed Setbacks Encroachments, Old Town of Mandeville, Square 48 Lot 12-A-1, R-1 Single Family Residential District, 604 Marigny Avenue

#### PREVIOUS CASES: V23-09-33 – Front and Rear setback encroachment V22-09-29/R22-09-05 – Variance for resubdivision

#### CASE SUMMARY:

The property is located on the corner of Marigny Avenue and Livingston Street. The property measures 95.02' x 151.87' and has a square footage of 14,430.63 per a survey prepared by Kelly McHugh & Associates and dated 8.03.2022. The property is currently improved with a single-family residence.

The applicant is requesting to encroach 6' into the interior side setback in order to place a condenser unit and generator within the setback. The proposed new addition currently encroaches 5'-7%'' into the setback due to the allowed 30% flexibility. The house is located within a flood zone so all mechanical equipment will have to meet BFE + 2'.

	Existing	Proposed	Change	Difference
Front Setback	12'-9"	12'-9"	0'	0'
Rear Setback	22'	22'	0'	-8′
Street Side Setback	29'-2"	29'-2"	0'	+14'-2"
Interior Side Setback	14'-4"	8'-4"	6'	-6'

The application states that "the location we are requesting will be within a proposed fence made of wood and brick, completely blocking the view of the equipment from the street." The condenser unit is being relocated from the existing location due to the proposed addition.

#### CLURO SECTIONS:

#### 8.1.1.4. Allowed Setbacks Encroachments

Every part of a required setback shall be open to the sky and unobstructed by accessory structures except:

4. Mechanical Equipment. Except as authorized for the elevation of existing structures, or where there is existing mechanical equipment located within the side setback, heating, ventilation, air conditioning, generator, or pool equipment shall not encroach into any required front or side setback.

#### 7.5.1.3. R-1 Site Development Regulations


Each development site in the R-1 Single-Family Residential Zoning District shall be subject to the following site development regulations in addition to any regulations applicable under the provisions of Article 8. The Planning Director may grant exceptions to the following standards pursuant to section 4.3.5.

1. Minimum lot area	10,800 Square feet (except for legal non-conforming lots as provided)
2. Minimum building area (Square feet per unit)	1,200 Square feet
3. Minimum lot width	90'
4. Minimum lot depth	120'
5. Minimum Yard Setback Requirements	
a. Front yard	25'
<li>b. Interior side yard*</li>	
i. Frontage up to 50'	8' each side
ii. Frontage between 51' – 60'	10' each side
iii. Frontage between 61' – 75'	12' each side
iv. Frontage between 76' – 80'	13' each side
v. Frontage between 81' – 90'	15' each side
vi. Frontage between 91' – 100'	16' each side
vii. Frontage between 101' – 110'	18' each side
viii. Frontage between 111' +'	20' each side
c. Street side yard	15'
d. Rear yard	30'
6. Maximum Height of Structures	35'

	7.	Maximum Impervious Site Coverage	45%
--	----	----------------------------------	-----

7. Maximum Impervious Site Coverage \*The side yard setbacks of the site may be shifted into the opposite yard up to 30% so long as the area lost in one required with side yard and the total minimum setback of the site is provided.





#### **Alex Weiner**

From: Sent: To: Subject: Jackson, J. Brian Friday, March 22, 2024 11:47 AM Alex Weiner Fwd: 604 Marigny Avenue, Mandeville, LA

CAUTION: This email originated from outside your organization. Exercise caution when opening attachments or clicking links, especially from unknown senders.

He sent it yesterday. See attached.

Begin forwarded message:

From: Timothy Smith A Date: March 20, 2024 at 5:51:51 PM CDT To: aweiner@thecityofmandeville.com Cc: "Jackson, J. Brian" A Subject: 604 Marigny Avenue, Mandeville, LA

\*\*EXTERNAL EMAIL; use caution with links and attachments\*\*

Alex,


My name is Timothy R. Smith. My wife, Annette, and I reside at and own our home located at 614 Marigny Avenue, which is located adjacent to and on the north-side of the subject property.

I am writing to advise you that we have no objections to the location where the exterior HVAC compressor unit will be located, which we understand will be on the north-side of the subject property.

Please advise if you have any questions or need additional information.

Timothy R. Smith 614 Marigny Avenue Mandeville, LA 70448 Cell:

This e-mail from McGuireWoods may contain confidential or privileged information. If you are not the intended recipient, please advise by return e-mail and delete immediately without reading or forwarding to others.



APPROVAL: CITY ENGINEER OR PUBLIC WORKS DIRECTOR PLANNING DIRECTOR PLANNING COMMISSION CHAIRMAN OF THE MAYOR OF THE CITY OF MANDEVILLE Mongul CLERK OF COURT Monique T Bringol, Deputy Clerk 185B 01-03-2023 MAP FILE NO. DATE FILED THIS PROPERTY IS LOCATED IN FLOOD ZONE AE BASE FLOOD ELEV. 9.0' F.I.R.M. PANEL NO. 2202020427D & 2202020431D REV. 05-16-12 REFERENCE: A RESUBDIVISION PLAT BY S.K. LANDRY FILED FOR RECORD 07-06-93, MAP FILE NO. 1138 PREPARED FOR: ERIC & MELISSA McNEIL **RESUBDIVISION OF:** LOT 12-A, SQUARE 48 INTO LOTS 12-A-1 & 12-A-2, SQUARE 48 MANDEVILLE, CITY OF MANDEVILLE ST. TAMMANY PARISH. LA. KELLY MCHUGH & ASSOCIATES CIVIL ENGINEERS & LAND SURVEYORS MANDEVILLE, LOUISIANA 626-5611 1'' = 30'DATE: 08-03-22 JOB NO .: 22-191 MDM DWG. NO .: **REVISED:** 

CASE NUMBER: V24-03-13 DATE RECEIVED: February 23, 2023 DATE OF MEETING: March 12, 2024 and March 26, 2024

Address: 1623 Lakeshore Subdivision: City of Mandeville, Square 5 Lot 5A Zoning District: R-1 Single Family Residential Property Owner: Johnny Swiger

REQUEST: V24-03-13 – Johnny Swiger requests a variance to CLURO Section 5.2.3.2. Drainage Overlay District and Fill Sub-Area A, City of Mandeville, Square 5 Lot 5A, R-1 Single Family Residential District, 1623 Lakeshore Drive

#### CASE SUMMARY:

The applicant owns the property at 1623 Lakeshore, located along Lakeshore Dr., east of Foy St., and west of Jackson Ave. The property measures 60' x 200' and has a square footage of 12,000 per a survey prepared by Lowe Engineers and dated 9.20.2023. The property is currently improved with a single-family residence.

The applicant is proposing a new concrete slab underneath an existing carport. The applicant is requesting to elevate the slab to a height of 4' from the existing grade of 2.9' shown underneath the slab location. A drainage plan prepared by Specialized Engineering has been submitted by the applicant. The plan indicates that a new drainage swale will be constructed along the west side of the structure to drain to the rear of the property.

The applicant stated that there is currently an existing limestone parking area that floods whenever there is heavy rain. The additional height of the slab is to help reduce flooding during a rain event.

Public works has reviewed the request, and had the following comments:

- 1. The proposed "REQ'D, GRADE AREA TO REAR..." does not have any proposed elevations or limits shown. The existing elevations demonstrate there is positive drainage to the rear and not necessary to fill.
- 2. The site plan indicates a walkway from the porch to the garage. This is not shown on the drainage plan and does not have any elevation data. If the walkway is to be elevated above 6" from grade, then the walkway should be included in the variance request.
- 3. Drainage Plan by Brain Froeba indicates a slab height of 4.00, site plan from John Bonneau shows a proposed FFE of 4.70. What one is the correct requested height?
- 4. The proposed is in the City's drainage overlay district and will require a Coastal Use Permit. Additional restrictions may apply pending their review.

At the March 12<sup>th</sup> meeting the commission requested some additional information pertaining to the comments made by Public Works. A revised drainage plan prepared by Specialized Engineering was submitted showing new swales constructed in the rear of the property to direct water along the natural path to Bayou Castine. The applicant also clarified at the meeting that the covered walkway shown on the plans has been removed. It was also clarified by the engineer who prepared the drainage plan that the slab under the carport will be at a height of 4', with the 4.7' shown on the plan prepared by John Bonneau being the height of the slab under the house.


The applicant is in the process of getting a Coastal Use Permit.

#### **CLURO SECTIONS:**

#### 5.2.3.2. Drainage Overlay District and Fill Sub-Area A

The following standards shall apply to all development falling within the mapped boundaries of the drainage overlay district as established in section 7.6.1 of this CLURO and fill sub-area A, which includes the areas located between Monroe Street, Bayou Castain, Lakeshore Drive and Galvez Street. Where the DO district overlaps with other areas described in this section 5.2.3, the provisions of the DO district shall apply.

- 2. Foundations and Slabs
  - a. Pile construction shall be required in V zones.
  - b. Pier or pile construction allowed in other locations as long as the tops of the footings or grade beams is located at or below natural grade elevation.
  - c. Slabs may be established under structures and for non-habitable spaces, provided that the top of the slab is not greater than six (6) inches above natural grade at any point.
  - d. Slab construction shall not be allowed for any habitable area.




ALTHOUGH EVERY EFFORT HAS BEEN MADE IN PREPARING THESE PLANS. THE CONTRACTOR MUST CHECK ALL DETAILS FOR ACCURACY OR ERROR AND BE RESPONSIBLE FOR THEM. DIAMOND DESIGN IS NOT RESPONSIBLE FOR ANY BUILDING THAT IS NOT BUILT TO CODE. THIS DRAWING CONTAINS VALUABLE, CONFIDENTIAL, PROPRIETARY, TRADE SECRET INFORMATION OF DIAMOND DESIGN RESIDENTIAL PLANNERS. DIAMOND DESIGN HAS NO ARCHITECTS OR ENGINEERS ON STAFF AND OFFER NO ADVISE IN REGARDS TO STRUCTURE OF ANY BUILDING. WE RECOMMEND YOUR HIRE AN ARCHITECT OR ENGINEER FOR ANY STRUCTURAL NEEDS. NO REPRODUCTION OR OTHER USE OF THE DRAWING OR ANY OF ITS CONTENTS IS PERMITTED WITHOUT CONSENT OF DIAMOND DESIGN RESIDENTIAL PLANNERS.

# **1623 LAKESHORE DR** MANDEVILLE

ADHERES TO THE DESIGN CRITERIA OUTLINED IN THE 2021 INTERNATIONAL RESIDENTIAL CODE CONCERNING R301.2.1.1 (DESIGN CRITERIA) FOR ONE AND TWO FAMILY DWELLINGS AS REQUIRED FOR AREAS WHERE BASIC WIND SPEEDS EQUAL OR EXCEED 140MPH

AS FOR DESIGN CRITERIA IN R301.2.1.1, I WILL FOLLOW THE AMERICAN FOREST AND PAPER ASSOCIATION (AF+PA) WOOD FRAME CONSTRUCTION MANUAL FOR ONE AND TWO-FAMILY DWELLINGS (WFCM). NOT ALL SPECIFICATIONS ARE EXPRESSLY NOTED ON THE PLANS: THEREFORE, IT IS THE RESPONSIBILITY OF INDIVIDUAL BUILDERS AND/OR CONTRACTORS TO COMPLY WITH THE FOLLOWING CODES.

THIS PLAN WAS DESIGNED TO MEET R301 DESIGN LOAD CRITERIA, 40PSF LIVE, 30 PSF LIVE LOAD FOR SLEEPING ROOMS, 20 PSF ROOF LIVE LOAD, AND DESIGN WIND SPEED IS 140MPH



1. GENERAL

3. CONCRETE

PROVISIONS OF CODES AND THESE NOTES AND NOTES ON INCLUDED DRAWINGS SHALL GOVERN. B. CODE COMPLIANCE I. INTERNATIONAL RESIDENTIAL CODE (IRC) 2021 II. SSTD 10-99 (FOR FOUNDATION) **III. WFCM LATEST EDITION** VI. LATEST LOUISIANA PLUMBING CODE C. LIVE LOADS I. ATTICS, UNINHABITABLE WITHOUT STORAGE = 10 PSF II. ATTICS, UNINHABITABLE WITH STORAGE = 20 PSF III. ROOFS = 20 PSF IV. RESIDENTIAL FLOOR LOAD (EXCEPT BALCONIES) = 40 PSF D. ENVIRONMENTAL LOADS I. BASIC WIND SPEED, V: <u>140MPH</u> EXP. B II. IMPORTANCE FACTOR, I: 1.0 III. ENCLOSED STRUCTURE, INTERIOR PRESSURE BASED ON GcPi=±0.18 E. FLOOD ZONE: SEE PLAT BY SURVEYOR 2. SITEWORK A. SHALL BE PER APPENDIX J OF THE INTERNATIONAL BUILDING CODE. B. GRADE LOT FOR PROPER DRAINAGE WITHIN 50 FEET OF RESIDENCE TO DRAIN WATER AWAY. C. LOUISIANA ONE CALL (800) 272-3020, "CALL BEFORE YOU DIG"

4. MASONRY CODE TIES MUST BE 12 IN. OF THE OPENING.

MORTAR AND MAY BE LESS DURABLE.

5. METAL

GALVANIZED. B. LINTEL SIZES (FOR BRICK VENEER) ASTM A36 STEEL I. 0 TO 4FT. OPENINGS: L4x3 1/2x 3/8; II. >4 TO 6FT. OPENINGS: L5x3 1/2x 3/8: III. >6 TO 8FT. OPENINGS: L6x3 1/2x 3/8 IV. >8 TO 10FT. OPENINGS: L7x4x1/2; V. >10 TO 12FT. OPENINGS: L8x4x1/2: VI. >12 TO 16FT. OPENINGS: L9x4x5/8; C. LINTELS SHALL HAVE AT LEAST 8" BEARING ON BRICK WALL ON BOTH SIDES OF OPENINGS. D. ALL BOLTS SHALL BE ASTM A307 HOT DIP GALVANIZED MATERIAL E. METAL ROOFING (IF APPLICABLE) SHALL BE PER OWNER & MEET THE WIND REQUIREMENTS OF THIS DWG & GOVERNING BUILDING CODE. F. ALL PLATES SHALL BE ASTM A36 (IF APPLICABLE)

6. WOOD

APPLICABLE).

PI ANS REQUIRMENTS

OR BEAMS.

SPANS OVER 10'-0") II. 2x8 @ 16 O.C. MAX. SPAN 17'-5"

O.C. MAX. AND AS FOLLOWS: I. 2x8 @ 16 O.C. MAX. SPAN 12'-4"

IV. 2x12 @ 12 O.C. MAX. SPAN 19'-19"

APPLIES) BUILDING CORNER; EACH BOLT SHALL SIDE AND 4-10d NAILS ON TOP) DETAIL



#### TO ANYONE WORKING ON THESE PLANS, IF THERE IS AN UNCONSISTENCY AND YOU DO NOT CALL BEFORE MOVING FORWARD, YOU ARE THEN RESPONSIBLE FOR ANY DISCREPANCY

A. ALL WORK MATERIALS SHALL CONFORM TO LOCAL, STATE, AND FEDERAL CODES. THE STRICTER

A. ALL CONCRETE SHALL ATTAIN A MINIMUM COMPRESSIVE STRENGTH OF 3,000 PSI AT 28 DAYS. B. ALL REINFORCING STEEL SHALL BE ASTM A615 GR.60. ALL WELDED WIRE REINFORCEMENT SHALL BE ASTM A185IN FLAT SHEETS.

A. ALL BRICKWORK SHALL CONFORM TO BRICK INDUSTRY ASSOCIATION STANDARDS & THE BUILDING B. VERTICAL EXPANSION JOINTS IN BRICK VENEER WALLS SHALL BE SPACED AT 30 FEET MAX.

C. TIES SHALL BE SPACED A MAXIMUM OF 16 IN. O.C. VERTICALLY AND 16" O.C. HORIZONTALLY. ALL

EMBEDDED AT LEAST 1 1/2 IN. INTO THE BRICK VENEER WITH A MINIMUM MORTAR COVER OF 5/8 IN. TO THE OUTSIDE FACE OF THE WALL. THEY MUST BE SECURELY ATTACHED TO THE STUDS THROUGH THE SHEATHING, NOT TO THE SHEATHING ALONE. AROUND THE PERIMETER OF OPENINGS, ADDITIONAL TIES SHOULD BE INSTALLED SPACED AT A MAXIMUM OF 3 FT. O.C. WITHIN

D. BRICK IS USUALLY SELECTED ON THE BASIS OF THEIR APPEARANCE WHICH INCLUDES COLOR. TEXTURE, AND SIZE. TO ASSURE QUALITY, BRICK UNITS SHOULD CONFORM TO ONE OF THE FOLLOWING: ASTM C216 SPECIFICATION FOR FACING BRICK, ASTM C652 SPECIFICATION FOR HOLLOW BRICK, ASTM C1405 SPECIFICATION FOR GLAZED BRICK (SINGLE-FRIED, SOLID UNITS) OR ASTM C126 SPECIFICATION FOR CERAMIC GLAZED STRUCTURAL CLAY FACING TILE, FACING BRICK AND SOLID MASONRY UNITS. ALL BRICK UNITS SHOULD BE OF GRADE SW. THE USE OF SALVAGED BRICK IS NOT RECOMMENDED SINCE SUCH BRICK MAY NOT BOND PROPERLY WITH

E. MORTAR SHALL CONFORM TO ASTM C270 SPECIFICATION FOR MORTAR UNIT MASONRY, MORTAR PLAYS AN IMPORTANT ROLE IN FLEXURAL STRENGTH OF A BRICK VENEER WYTHE. TESTS OF FULL-SCALE WALLS INDICATE THAT THE BOND BETWEEN MORTAR AND BRICK UNITS IS THE MOST IMPORTANT SINGLE FACTOR AFFECTING WALL STRENGTH WHEN RESISTING HORIZONTAL JOINT CRACKING. THE BUILDER SHOULD SELECT THE LOWEST COMPRESSIVE UNIT STRENGTH MORTAR THAT IS COMPATIBLE WITH THE BRICK USED ON THE PROJECT. FOR MORE INFORMATION, REFER TO TECHNICAL NOTES 8 SERIES BY THE BRICK INDUSTRY ASSOCIATION.

A. ALL UNEXPOSED STEEL SHALL BE SHOP PAINTED (IN ACCORDANCE WITH AISC STANDARDS) OR

G. ALL STEEL PIPES SHALL BE ASTM A53, TYPE-S (SEAMLESS) GRADE B (Fy=35 KSI), U.N.O. (IF

A. ALL WOOD FRAMING, FABRICATION, AND ERECTION SHALL CONFORM TO THE FOLLOWING CODES AND THESE NOTES AND NOTES ON INCLUDED DRAWINGS SHALL GOVERN. I. NATIONAL DESIGN SPECIFICATION FOR WOOD CONSTRUCTION BY THE NFPA.

II. PLYWOOD DESIGN SPECIFICATION BY THE APA. III. PRESSURE TREATED WOOD REQUIREMENTS OF AWPA.

IV. AMERICAN INSTITUTE OF TIMBER CONSTRUCTION. B. LUMBER SHALL BE SOUTHERN YELLOW PINE (SYP) #2 OR BETTER

C. ENGINEERED BEAMS/JOISTS SHALL BE AS IDENTIFIED ON PLANS. SUPPORT LAMINATE BEAMS/BUILT-UP BEAMS WITH A MIN. 3-STUD COL. EACH END. PROVIDE CMST14 STRAPS AT ENDS OF BEAMS SUBJECT TO UPLIFT LOADING. BEAMS 3 1/2" WIDE CAN BE MADE UP OF 2-1 3/4" BEAMS BEAMS 5 1/4" WIDE CAN BE MADE UP OF 3-1 3/4" BEAMS

D. ALL WOOD CONNECTIONS SHALL BE GALVANIZED MATERIAL AND IN ACCORDANCE WITH THE FASTENING SCHEDULE OF THE GOVERNING BUILDING CODE. UPLIFT CONNECTORS: CONNECTORS SHALL BE PROVIDED FOR A CONTINUOUS LOAD PATH FROM FOUNDATION TO RAFTER. CONNECTORS ARE IN ADDITION TO BUILDING CODE NAILING REQUIREMENTS, JOISTS HANGERS, TIES, AND SEATS SHALL BE SIMPSON STRONG-TIE OR EQUIVALENT. ALL CONNECTORS SHALL BE INSTALLED WITH THE MAXIMUM NUMBER OF FASTENERS PER MANUFACTURER'S

RECOMMENDATIONS AND SPECIFICATIONS UNLESS SPECIFICALLY NOTED OTHERWISE

E. HEADINGS FOR OPENINGS IN INTERIOR WALLS OF SINGLE STORY CONSTRUCTION WITH NO MORE THAN 4'-0" CLEAR OPENING SHALL BE 2-2x10, MIN. HEADERS FOR OPENINGS ON EXTERIOR WALLS SHALL BE 2-2x12 FOR A MAXIMUM OPENING OF 4'-0" FOR SINGLE STORY CONSTRUCTION. U.N.O. SEE

F. PER TABLE 602.3(5) OF THE 2021 IRC, WALL STUDS SHALL BE 2x4 AT 16" O.C. FOR WALL HEIGHTS NOT EXCEEDING 10 FEET IN UNSUPPORTED HEIGHT, U.N.O. BLOCK ALL STUD WALLS AT MID-HEIGHT. ALL WALL OVER 10'-0" IN HEIGHT SHALL BE 2x6 FRAMING @ 16" O.C. U.N.O. BLOCK PER CODE

G. RAFTERS SHALL BE 2x6 MIN., SPACED AT 24" O.C. MAX., MAX. CLEAR SPAN = 10'-0", SUPPORT ROOF BRACING ON LOAD BEARING WALLS ONLY. ROOF BRACING SHALL NOT BEAR ON CEILING JOISTS

H. ALL CLG. THAT FALLS UNDER LOAD BEARING WALLS ARE TO BE TRIPLE JOIST.

I. CEILING JOISTS FOR UNINHABITABLE ATTICS WITH STORAGE (LL=20 PSF) SHALL BE 2x6 MIN. SPACED AT 16" O.C. MAX. AND AS FOLLOWS: (USE 2x6+2x4 STRONGBACK AT ALL CEILING JOISTS

I. 2x6 @ 16 O.C. MAX. SPAN 13'-6"

III. 2x10 @ 16 O.C. MAX. SPAN 20'-9"

IV. 2x12 @ 16 O.C. MAX. SPAN 23'-11' J. FLOOR JOISTS FOR RESIDENTIAL USE (LL=40 PSF) SHALL BE 2x8 MIN. SPACED AT 16"

II. 2x10 @ 16 O.C. MAX. SPAN 14'-8"

III. 2x12 @ 16 O.C. MAX. SPAN 17'-2"

THE USE OF OPEN WEB JOISTS MAY REQUIRE DRAFTSTOPPING, PER NOTE

6. WOOD (T), SEE BELOW. K. USE 3/4" (23/32") APA RATED T & G PLYWOOD ON ALL FLOOR JOISTS U.N.O.

L. ANCHOR FLOOR PLATES TO SLAB WITH 5/8" C ASTM A307 BOLTS WITH A MINIMUM EMBEDMENT OF 7" SPACED AT 24" O.C. WITH MUDSILLS 18" FROM EACH BOLT & WITHIN 12" OF EACH HAVE A 3"x3"x1/8" WASHER. \*\*AS AN ALTERNATE TO THE ABOVE SPACING: ANCHOR BOLTS CAN BE SPACED AT 4' O.C. WITH SIMPSON MAS ANCHORS SPACE AT 16" O.C. BETWEEN ANCHOR BOLTS\*\* (NAIL MAS TO SILL PLATE WITH 2-10d NAILS ON

(WHERE

M. SHEAR WALLS: PROVIDE APA SHEATHING, EXPOSURE 1 RATED 4'x8'x7/16" PANELS ON ALL EXTERIOR WALLS. PROVIDE INTERIOR SHEAR WALLS AS SHOWN ON PLANS. SHEATHING SHALL EXTEND FROM SLAB TO TOP PLATE. PROVIDE SOLID BLOCKING AT ALL PANEL EDGES. SEE ATTACHED FOR NAILING & CONNECTOR REQUIREMENTS.

N. ALL ROOF SHEATHING SHALL BE APA SHEATHING EXPOSURE 1 4'x8'x5/8" MIN. PANELS. MEMBERS. USE 8d RINK SHANK NAILS FASTEN IN WITH 8d NAILS AT 6" O.C. AT ALL FRAMING WITHIN 5'-0" OF ROOF EDGES. SPACE NAILS AT 4" O.C. WITHIN 5'-0" OF GABLE END WALLS.

- O. ALL LUMBER IN CONTACT WITH EARTH AND/OR MASONRY SHALL BE TREATED
- P. CABINETS & COUNTERTOPS SHALL BE PER BUILDER ALLOWANCES.
- Q. APPROVED EQUAL PRODUCTS ARE ACCEPTABLE AND MAY BE SUBSTITUTED
- R. FOLLOW WOOD FRAME CONSTRUCTION MANUAL FOR ALL DETAILS NOT SHOWN
- S. FIREBLOCKING PROVIDE FIREBLOCKING IN ALL LOCATIONS AND USING ALL APPROVED MATERIALS AS REQUIRED BY 2021 IRC SECTION R302.11. T. DRAFTSTOPPING - PROVIDE DRAFTSTOPPING IN ALL CONCEALED LOCATIONS AND USING ALL APPROVED MATERIALS AS REQUIRED BY

2021 IRC SECTION R302.12.

7. THERMAL & MOISTURE CONTROL A. ALL THERMAL/MOISTURE PROTECTION WORK/MATERIALS SHALL CONFORM TO LOCAL, STATE, AND FEDERAL CODES. B. CONTRACTOR SHALL PROVIDE THE FOLLOWING MINIMUM INSULATION (AS

APPLICABLE) I. WALLS: R-13 BATT (2x4 WALL), R-19 BATT (2x6 WALL) II. CEILINGS, STANDARD: R-49 BLOWN (PREFERABLE) OR R-49 BATT

III. CEILING, VAULT: R-19 BATT IV. FLOORS (2-STORY SPACES ONLY): R-19 BATT

V. FLOORS (CRAWL SPACE UNDER FLOOR): R-19 BATT, OR EQUIVALENT **RIGID BOARD INSULATION** VI. VAULTED CLG. AS PERMITTED BY 2021 IRC 1102.2.2(R4.2.2.2\_ CEILINGS

W/O ATTIC SPACES C. ROOFING MATERIAL SHALL BE PER OWNER/BUILDER AGREEMENT & SHALL MEET WIND SPEED CRITERIA SHOWN ON THIS DWG. INSTALL ROOFING PER

- MANUFACTURER'S SPECIFICATIONS AND RECOMMENDATIONS. D. SIDING MATERIAL SHALL BE PER OWNER/BUILDER AGREEMENT & SHALL MEET WIND SPEED CRITERIA SHOWN ON THIS DWG. INSTALL SIDING PER
- MANUFACTURER'S SPECIFICATIONS AND RECOMMENDATIONS. E. PROVIDE ROOF VENTILATION PER IRC SECTION R806
- F. PROVIDE ROOF ICE BARRIER UNDERLAYMENTS IN ALL LOCATION/SLOPES AS PER LSUCCC AMENDMENTS EFFECTIVE 1/1/2023 TITLE 17 -CONSTRUCTION, PART 1. UNIFORM CONSTRUCTION CODE. SECTION 107-INTERNATIONAL RESIDENTIAL CODE (SEE TABLE FOR AMMENDED SECTION 905.1.2 ICE BARRIERS.)

8. DOORS & WINDOWS - PER OWNER/BUILDER AGREEMENT & ATTACHED DRAWINGS A. ALL WINDOWS SHALL MEET SECTION R301.2.1.2 GLAZING SHALL MEET THE SPECIFIED REQUIREMENTS OR THE CONTRACTOR SHALL PROVIDE 7/16" MIN. PLYWOOD PANELS FOR ALL WINDOWS OR SHALL PROVIDE SHUTTERS ON ALL WINDOWS THAT MEET THE REQUIREMENTS OF R301.2.1.2.

B. CONTRACTOR SHALL PROVIDE "SECURE DOOR" BRACING SYSTEM FOR GARAGE DOORS INSTALLED PER MANUFACTURER'S SPECIFICATIONS & RECOMMENDATIONS.

9. FINISHES - PER OWNER/BUILDER AGREEMENT & ATTACHED DRAWINGS A. - ALL UNDER-STAIR SPACES SHALL BE FINISHED IN ACCORDANCE WITH SECTION R302.7 OF 2021 IRC

- 10. SPECIALTIES SPECIALTIES SHALL MEET ALL BUILDING CODE REQUIREMENTS A. FIREPLACES SHALL BE PER CODE AND OWNER/BUILDER AGREEMENT. B. SHUTTERS (IF SHOWN ON DRAWINGS) SHALL BE PER OWNER/BUILDER
  - AGREEMENT. C. STORAGE SHELVING SHALL BE PER OWNER/BUILDER AGREEMENT D. TOILET, BATH, & LAUNDRY ACCESSORIES SHALL BE PER OWNER/BUILDER AGREEMENT

11. EQUIPMENT - ALL APPLIANCES SHALL BE PER OWNER/BUILDER AGREEMENT. 12. FURNISHINGS - ANY FURNISHINGS SHALL BE PER OWNER/BUILDER AGREEMENT. 13. SPECIAL CONSTRUCTION - TUBS & POOLS - IF APPLICABLE SHALL BE PER OWNER/BUILDER ALLOWANCES.

14. SPECIAL CONSTRUCTION - ELEVATORS - IF APPLICABLE SHALL BE PER OWNER/BUILDER ALLOWANCES. 15. MECHANICAL: HVAC & PLUMBING

- A. ALL HVAC WORK/MATERIALS SHALL CONFORM TO LOCAL, STATE, AND FEDERAL CODES.
- B. HVAC SYSTEM SHALL BE CONSTRUCTED IN ACCORDANCE WITH SECTION 101:7-2 OF THE LIFE SAFETY CODE. C. OWNER SHALL RETAIN A LICENSED MECHANICAL CONTRACTOR TO VERIFY
- HVAC SYSTEM SHOWN WILL WORK SATISFACTORILY. D. RS & RL LINES FROM OUTDOOR COND. UNIT, RISE WITHIN WALL TO ATTIC
- SPACE, CONTINUE TO RESPECTIVE INDOOR AIR HANDLING UNIT.
- E. PROVIDE SUPPORT FOR CONDENSING UNITS IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS & RECOMMENDATIONS.
- F. EXTEND FRESH AIR INTAKE DUCT TO METAL SADDLE VENT AND
- PERMANENTLY ATTACH AS REQUIRED TO PROVIDE FOR AIR INTAKE. G. 5' MIN. TOTAL LENGTH (MEASURED ALONG CENTER OF DUCT). ACOUSTICALLY LINE R.A. DUCT (WITH 90±ELBOW) BETWEEN UNIT INLET AND PLENUM ABOVE R/A GRILL
- H. PROVIDE 125°FIRESTAT, LOCATE IN RETURN AIR PLENUM.
- I. PROVIDE RAISED PLATFORM FOR AHU. J. PROVIDE O.B. MANUAL VOLUME DAMPERS AT ALL VOLUME SUPPLY AIR
- GRILLES.
- K. PROVIDE SPIN-TAP WITH DAMPER AT ALL SUPPLY AIR DUCT CONNECTIONS TO PLENUM.
- L. ALL PLUMBING WORK/MATERIALS SHALL CONFORM TO LOCAL, STATE, & FEDERAL CODES.
- 16. ELECTRICAL A. ALL ELCTRICAL WORK/MATERIALS SHALL CONFORM TO LOCAL, STATE, & FEDERAL CODES.
- B. OWNER AND BUILDER SHALL COORDINATE LOCATIONS OF APPLIANCES, SWITCHES, OUTLETS, THERMOSTATS, CIRCUIT BREAKER BOX, ETC. C. SMOKE DETECTORS REQUIRED AT ALL BEDROOMS AND/OR ADJACENT HALLWAYS.
- 17. VENT/ FLOOD ELEVATION
  - A. THE BOTTOM OF ENCLOSED AREA FLOOD VENTS WILL BE 1FT. OR LESS ABOVE THE ADJACENT GRADE AS REQUIRED BY R322.2.3 IRC 2021 ED.
  - B. THE ENCLOSED AREAS BELOW DESIGN FLOOD ELEVATION ON THE GARAGE WILL MEET THE REQUIREMENTS OF R322.2.2 IRC 2021 ED. FOR USE AND FLOOD OPENINGS.
  - C. BUILDING MATERIALS USED BELOW DESIGN FLOOD ELEVATION WILL COMPLY WITH SEC, R322.1.8 IRC 2021 ED.
- 18. ANY DOORS LEADING FROM A GARAGE INTO A RESIDENCE SHALL BE A SOLID WOOD DOOR NOT LESS THAN 1 3/8" THICK, SOLID STEEL DOOR NOT LESS THAN 1 3/8" THICK OR A 20-MIN FIRE RATED DOOR, SHALL BE SELF

LATCHING & EQUIPPED WITH A SELF CLOSING DEVICE AS STATED IN R302.5.1 IRC 2021. 19. BUILDING MATERIALS USED BELOW DESIGN FLOOD ELEVATION SHALL COMPLY

WITH SEC. R322.1.8 IRC 2021 ed. 20. PROJECTIONS (ROOF OVERHANGS) EXTENDING INTO THE THREE FOOT FIRE SEPRARATION DISTANCE SHALL NOT HAVE LESS THAN ONE-HOUR FIRE

**RESISTIVE CONSTRUCTION ON THE UNDERSIDE AS REQUIRED BY R302.1** IRC 2021 ed. 21. PROVIDE GARAGE SEPARATION AS REQUIRED BY SEC R302.6 IRC 2021 ed.

22. WINDOWS INSTALLED IN STAIR ENCLOSURES AND WITHIN 5 FT. OF BOTTOM OF STAIRS REQUIRE SAFETY GLAZING PER R308.4.6 IRC 23. PROVIDE ATTIC VENTILATION AS REQUIRED BY SEC. R806 OF THE IRC 2021 ed. 24.R905.1.1 Underlayment shall be two layers applied in the following manner: apply a 19-inch

strip of underlayment felt parallel to and starting at the eaves. Stating at the eave, apply 36-inch-wide sheets of

underlayment, overlapping successive sheets 19 inches. Distortions in the underlayment shall

not interfere with the ability of the shingles to seal. End laps shall be 4 inches and shall be offset by 6 feet.

				BUILDING V	WIDTH
	EADER PORTING			12 24	4 36
50P	PORTING	SIZE		SPANS (ft-	in.)
		2-2x4	4'-4	4" 3'-1	l" 2'-6"
		2-2x6	6'-{	5" 4'-6	5" 3'-8"
		2-2x8	8'-	1" 5'-9	9" 4'-8"
		2-2x10	9'-	11" 7'-0	)" 5'-9"
ON	E FLOOR	2-2x12	11	-6" 8'-1	l" 6'-7"
	ER BEARING)	3-2x8	10	-2" 7'-2	2" 5'-10"
		3-2x10	12	-5" 8'-9	)" 7'-2"
		3-2x12	14	-4" 10'-	-2" 8'-3"
		4-2x8	11	-6" 8'-3	3" 6'-9"
		4-2x10	14	-4" 10'-	-1" 8'-3"
		4-2x12		* 11'-	-9" 9'-7"
		2-2x4	2	-10" 2'-1	
		2-2x6	4	-2" 3'-1	I" 2'-6"
		2-2x8	5	-4" 3'-1	11" 3'-3"
		2-2x10		-6" 4'-9	
TWO F	LOORS ONLY	2-2x12		-6" 5'-6	
	ER BEARING)	3-2x8		-8" 4'-1	
		3-2x10		-1" 6'-0	
		3-2x12			
		4-2x8		-5" 6'-1	
		4-2x10	4-2x10 9'-4" 6'-10 4-2x12 10'-10" 8'-0"		
					)" 6'-7"
	Jack Stud Re Interior Load	quireme Bearing	nts - Fo Walls	or	-
HEADER	HEADER			OF SPAN (ft.) 12 FEET .5" 5" 6.5"	
SUPPORTING	SPAN (ft.)	3"	4.5"		
			NO JACK STUD		<u>)</u> .
	2	1	1	1	1
	4	1	1	1	1
	6	2	1	2	2
ROOF & CLG.	8	2	2	2	2
	10	3	2	2	2
	12	3	2	2	2
	14	4	3	2	2
	16	4	3	2	2
			. 1	1	1
	2	1		4	
	4	1 2 2	1	1	1
ROOF & CLG.		2	1		1 1 3
	6	2	1	2	1

4

5

5

14

HEADER WIDTH - 3" (2-2x), 4.5" (3-2x), 5", 6.5" (4-2x)

3

3

4

3

3

3

2

3

3



LL

Ш AND  $\geq$ Σ ſ . . Υ 0 C. Ο L ш С Ч **C** 6

DRAWN

CHECKED

MKB

REVISED

PROJECT

DD745A

DATE

1/18/2024

O

**DESIGN CRITERIA** 

1. THE BASIC WIND SPEED USED IN THIS DESIGN IS 140MPH

2. ROOF PITCHES OF 7/12 OR LESS MUST CONFORM TO THE SOUTHERN BUILDING CODE CONGRESS INTERNATIONAL STANDARD FOR HURRICANE RESISTANT RESIDENTIAL CONSTRUCTION (SSTD 10).


3. ROOF PITCHES OF 8/12 OR GREATER MUST CONFORM TO ASCE-7.

4. WOOD STRUCTURAL PANELS WITH A MINIMUM THICKNESS OF 5/8 INCH AND A MAXIMUM SPAN OF 8 FEET SHALL BE PROVIDED BY THE CONTRACTOR FOR OPENING PROTECTION. PANELS SHALL BE PRECUT TO COVER GLAZED OPENINGS WITH ATTACHMENT HARDWARE PROVIDED. ATTACHMENTS SHALL BE PROVIDED IN ACCORDANCE WITH TABLE R301.2.1.2 OR SHALL BE DESIGNED TO RESIST THE COMPONENTS AND CLADDING LADS DETERMINED IN ACCORDANCE WITH THE INTERNATIONAL BUILDING CODE.

SHEET

ALTHOUGH EVERY EFFORT HAS BEEN MADE IN PREPARING THESE PLANS, THE CONTRACTOR MUST CHECK ALL DETAILS FOR ACCURACY OR ERROR AND BE RESPONSIBLE FOR THEM. DIAMOND DESIGN IS NOT RESPONSIBLE FOR ANY BUILDING THAT IS NOT BUILT TO CODE. THIS DRAWING CONTAINS VALUABLE, CONFIDENTIAL, PROPRIETARY, TRADE SECRET INFORMATION OF DIAMOND DESIGN RESIDENTIAL PLANNERS. DIAMOND DESIGN HAS NO ARCHITECTS OR ENGINEERS ON STAFF AND OFFER NO ADVISE IN REGARDS TO STRUCTURE OF ANY BUILDING. WE RECOMMEND YOUR HIRE AN ARCHITECT OR ENGINEER FOR ANY STRUCTURAL NEEDS. NO REPRODUCTION OR OTHER USE OF THE DRAWING OR ANY OF ITS CONTENTS IS PERMITTED WITHOUT CONSENT OF DIAMOND DESIGN RESIDENTIAL PLANNERS.

- GENERAL NOTES: -REMAINDER OF SQ. FT MISSING FROM TOTAL IN ROOM SCHEDULE IS IN THE CLOSETS AND WALL THICKNESS NOT LISTED IN SCHEDULE.
- ALSO THE SHOWER AREA IS NOT LISTED IN THE SCHEDULE ALSO -DIMENSIONS ARROWS POINT TO THE FOLLOWING LOCATIONS IF EVER IT IS NOT CLEAR.
- \*ALL EXTERIOR WALL DIMENSIONS POINT TO THE EXTERIOR SIDE OF STUD UNLESS WALL HAS BRICK, THEN IT POINTS TO THE EDGE OF BRICK.
- \*ALL INTERIOR WALL DIMENSIONS POINT TO THE CENTER OF STUD. \*ALL CABINET DIMENSIONS ARE POINTING TO THE
- CABINET, NOT THE COUNTER EDGE. -SCHEDULES HAVE BEEN PUT TOGETHER WITH AS MUCH ATTENTION AS POSSIBLE, BUT CONTRACTOR IS
- RESPONSIBLE TO DO HIS OWN DUE DILIGENCE TO CONFIRM CALCULATIONS ARE CORRECT. DIAMOND DESIGN IS NOT RESPONSIBLE FOR ANY
- ESTIMATIONS OF ANY MATERIAL LISTED IN ANY SCHEDULE PROVIDED.
- -CABINET ELEVATIONS ARE FOR SIZING PURPOSES ONLY. ACTUAL CABINETS ARE TO BE CHOSEN BY OWNER THROUGH A CABINET SUPPLIER.




SQ. FOOTAGE				
Comments	Area			
CONDITIONED				
GARAGE	806 SF			
CONDITIONED	806 SF			
Grand total	806 SF			


		Room Schedule							
	meter	Perime	Volume	Area	Ceiling Finish	Clg. Height	Wall Finish	Name	Rm #
						1			[]
01 GARAGE CMU GYP. BO GYP. BO 803 SF 8028 CF 118'	- 10"	118' - 1	8028 CF	803 SF	GYP. BO	GYP. BO	CMU	GARAGE	01

Window Schedule					
Type Mark	Width	Height	Description	Count	
189	3' - 0"	6' - 0"	SEE ELEVATIONS	1	

	DOOR SCHEDULE					
Type Mark			Description		Count	
148	3' - 0"	6' - 8"	0' - 1 3/8"	EXT SOLID DOOR		1
211	10' - 0"	8' - 0"		GARAGE DR 140 MPH RATED		2



ALTHOUGH EVERY EFFORT HAS BEEN MADE IN PREPARING



ALTHOUGH EVERY EFFORT HAS BEEN MADE IN PREPARING THESE PLANS, THE CONTRACTOR MUST CHECK ALL DETAILS FOR ACCURACY OR ERROR AND BE RESPONSIBLE FOR THEM. DIAMOND DESIGN IS NOT RESPONSIBLE FOR ANY BUILDING THAT IS NOT BUILT TO CODE. THIS DRAWING CONTAINS VALUABLE, CONFIDENTIAL, PROPRIETARY, TRADE SECRET INFORMATION OF DIAMOND DESIGN RESIDENTIAL PLANNERS. DIAMOND DESIGN HAS NO ARCHITECTS OR ENGINEERS ON STAFF AND OFFER NO ADVISE IN REGARDS TO STRUCTURE OF ANY BUILDING. WE RECOMMEND YOUR HIRE AN ARCHITECT OR ENGINEER FOR ANY STRUCTURAL NEEDS. NO REPRODUCTION OR OTHER USE OF THE DRAWING OR ANY OF ITS CONTENTS IS PERMITTED WITHOUT CONSENT OF DIAMOND DESIGN RESIDENTIAL PLANNERS.

# Windborne Debris Protection Fastening Schedule for Struct. Panels

	FASTENER SPACING			
FASTENER TYPE	PANEL SPAN LESS THAN 4'	4 FT. PANEL SPAN LESS THAN 6'	6 FT. PANEL SPAN LESS THAN 8'	
2 1/2" #6 WOOD SCREWS	16"	12"	9"	
2 1/2" #8 WOOD SCREWS	16"	16"	12"	

WINDOWS IN BUILDINGS LOCATED IN WINDBORNE DEBRIS REGIONS SHALL HAVE GLAZED OPENING PROTECTED FROM WINDBORNE DEBRIS. WOOD STRUCTURAL WITH A MIN. THICKNESS OF 7/16" AND A MAX. SPAN OF 8' SHALL BE PERMITTED FOR OPENING PROTECTION IN ONE & TWO STORY BUILDINGS. PANELS SHALL BE PRECUT TO COVER THE GLAZED OPENINGS WITH ATTACHMENT HARDWARE PROVIDED.

#### Underlayment Notes

FOR ROOF SLOPES FROM TWO UNITS VERTICAL IN 12 UNITS HORIZONTAL (17% SLOPE), UP TO FOUR UNITS VERTICAL IN 12 UNITS HORIZONTAL (33% SLOPE), UNDERLAYMENT SHALL BE TWO LAYERS APPLIED IN THE FOLLOWING MANNER: APPLY A 19" STRIP OF UNDERLAYMENT FELT PARALLEL WITH AND STARTING AT THE EAVES, FASTENED SUFFICIENTLY TO HOLD IN PLACE. STARTING AT THE EAVE, APPLY 36" WIDE SHEETS OF UNDERLAYMENT, OVERLAPPING SUCCESSIVE SHEETS 19", AND FASTENED SUFFICIENTLY TO HOLD IN PLACE.

FOR ROOF SLOPES OF FOUR UNITS VERTICAL (33% SLOPE). OR GREATER. UNDERLAYMENT SHALL BE ONE LAYER APPLIED SHINGLE FASHION, PARALLEL TO AND STARTING FROM THE EAVE AND LAPPED 2", FASTENED SUFFICIENTLY TO HOLD IN PLACE. END LAPS SHALL BE OFFSET BY 6'.


Roof Sheathing or Cladding Req'd For Wind Load - Exp. B					
	RAFTER/ TRUSS SPAC.	E	F		
SHEATHING LOCATION		MAX. NAIL SPAC. FOR 8d COM. NAILS OR 10d BOX NAILS (INCHES O.C.)			
	12" O.C.	6	12		
INTERIOR ZONE	16" O.C.	6	12		
	24" O.C.	6	12		
PERIMETER	12" O.C.	6	12		
EDGE ZONE	16" O.C.	6	6		
	24" O.C.	6	6		


130 MPH WINDS - EXPOSURE "B" (TYP.)

Header Nailing Scheule Scale:n.t.s.					
DESCRIPTION	NUM. OF COM. NAILS	NUM. OF BOX NAILS	SPACING		
HEAD TO HEAD (FACE-NAILED)	8d	10d	6" O.C. EDGES/ 12" O.C. FIELD		

# Header Spans - Exposure B Exterior Load Bearing Walls

HEADER SIZE	SPAN	NO. FULL HT STUDS REQ. @ EA. END	
2-2x4	4'-7"	2	
2-2x6	5'-6"	2	
2-2x8	6'-1"	3	
2-2x10	6'-8"	3	
2-2x12	7'-1"	3	
3-2x8	7'-5"	3	
3-2x10	8'-3"	3	
3-2x12	8'-8"	3	
4-2x8	8'-7"	3	
4-2x10	9'-6"	3	
4-2x12	10'-0"	4	









AS NOTED


1/26/24














Dr Johnny William Swiger 1623 Lakeshore Drive Mandeville , Louisiana 70448 Project 24-9121

Requested variance for enclosure and foundation of existing building.

Project has been approved on Jan 29/2024

Current open plan structure used to house vehicles. Limestone base. The current foundation floods recurrently with heavy rain posing danger of flood to vehicles.

Current regulation for foundation grade is maximum 6 inches above grade.

Average elevations of the structure base at 4 corners is 2.4,2.5,2.8 and 2.9 with a resultant average of 2.64feet Per regulation, maximum grade plus 6 inches is 3.15feet

I am requesting variance to slab grade of even 4.0 feet with additional swale drainage constructed along side of structure so as not to disrupt drainage flow currently southward towards lake.

Attached is submitted engineer slab plans and drainage plan

Sincerely Dr Johnny William Swiger


### **Alex Weiner**

From: Sent:	Clifton Siverd Monday, March 4, 2024 10:44 AM		
То:	Alex Weiner		
Cc:	Cara Bartholomew; Lauren Brinkman		
Subject:	RE: March Planning and Zoning Fill Case		


Alex,

I have reviewed the variance request to as requested for 1623 Lakeshore Dr. and offer the following.


1. The proposed "REQ'D, GRADE AREA TO REAR..." does not have any proposed elevations or limits shown. The existing elevations demonstrate there is positive drainage to the rear and not necessary to fill.



2. The site plan indicates a walkway from the porch to the garage. This is not shown on the drainage plan and does not have any elevation data. If the walkway is to be elevated above 6" from grade, then the walkway should be included in the variance request.



3. Drainage Plan by Brain Froeba indicates a slab hight of 4.00, site plan from John Bonneau shows a proposed FFE of 4.70. What one is the correct requested hight?



4. The proposed is in the City's drainage overlay district and will require a Coastal Use Permit. Additional restrictions may apply pending there review.

### 7.6.1.3. Areas Within D-O Drainage Overlay Districts

1. Any lot, lot of record, or parcel of land made up of lots, lots of record or combination of lots and portions of lots in single ownership are considered to be a single parcel under the provisions of these regulations.

2. The D-O district includes any area that is below six (6) feet MSL, is adjacent to or includes areas of periodic inundation (5 ft. MSL or lower) from the flood waters of a natural drainageway through the City of Mandeville including those areas adjacent to natural drainageways subject to the regulations of the State Coastal Management Division, subject to Section 10 of the Rivers and Harbors Act and subject to Section 404 of the Clean Water Act.

From: Alex Weiner <aweiner@cityofmandeville.com> Sent: Wednesday, February 28, 2024 8:57 AM To: Clifton Siverd <csiverd@cityofmandeville.com> **Cc:** Cara Bartholomew <cbartholomew@cityofmandeville.com> **Subject:** March Planning and Zoning Fill Case

Clif,


We have a case on the March 12<sup>th</sup> P&Z agenda for additional fill. Johnny Swiger at 1623 Lakeshore is wanting to have the height of the slab under the carport at 4', which is above the allowed 6" of additional fill. I have attached the documents that were submitted for the case. Please let me know if you have any comments.

Thanks,

# Alex Weiner, CFM

Planning Secretary Department of Planning & Development City of Mandeville 3101 E. Causeway Approach Mandeville, LA 70448 (985) 624-3132





CASE NUMBER: Z24-03-02 DATE RECEIVED: DATE OF MEETING: March 12, 2024 and March 26, 2024

Address: Square 34 Lots 7A-1 & 7A-2 Subdivision: Old Town of Mandeville, Square 34 Lots 7A-1 & 7A-2 Zoning District: R-1X Single-Family Residential-Existing Small Lots District Property Owner: City of Mandeville

REQUEST: Z24-03-02 – A petition from the City Council of the City of Mandeville to amend the official zoning map of the City of Mandeville to rezone two lots designated R1-X Single-Family Residential-Existing Small Lots District to O Open Space/Recreation District, Old Town of Mandeville, Square 34 Lots 7A-1 & 7A-2

### CASE SUMMARY:

The City of Mandeville purchased the property described as Lots 7A-1 & 7A-2 in Sq 34 in January 2024. The property is located south of Monroe St. west of Lafitte St., north Jefferson St., and east of Carroll St., containing 56,572 square feet per the survey prepared by Randall W. Brown & Associates and dated 8.16.2018. The property is currently unimproved.

The City of Mandeville was authorized to purchase the property by Ordinance 23-37, and desires to rezone the property from its current zoning of R-1X Single-Family Residential-Existing Small Lots District to O Open Space/Recreation District.

The property is adjacent to Ravine Aux Coquilles and provides a significant benefit to the drainage of the area. The property is in Flood Zone AE10 with a ground elevation of 4.4' MSL. The rear of the property is below the 5' contour line, and all land determined to be below the 5' contour is defined as an Area of Periodic Inundation.

Rezoning the property to reflect the intended use will also give the City additional points toward FEMAs Community Rating System.

### **CLURO SECTIONS:**

### 6.3.21. Public Recreation and Park Services


Publicly owned and operated parks, playgrounds, recreation facilities and open space.

### 7.5.7.1. Purpose of the Open Space/Recreational District

The purpose of the open space/recreational district is to provide for open space, parks and recreational areas; for uses that are accessory thereto, as well as certain facilities that are generally associated with recreational uses; and for such other uses as are specifically permitted in this district under the provisions of these regulations.

**Area of Periodic Inundation.** All land areas that are determined to be below the 5' Mean Sea Level (MSL) contour, or lands determined to be jurisdictional wetlands by the U.S. Army Corps of Engineers pursuant to the Clean Water Act.





# W:\1SurveyShared\18SURVEY\18505.dwg

# **PROPERTY DESCRIPTIONS**


-

# LOT 7A-1

COMMENCING FROM THE SOUTHERN RIGHT OF WAY LINE OF MONROE STREET AND THE EASTERN RIGHT OF WAY LINE OF CARROLL STREET GO ALONG SAID RIGHT OF WAY OF CARROLL STREET SOUTH 30 DEGREES 39 MINUTES 56 SECONDS WEST A DISTANCE OF 266.28 FEET TO THE POINT OF BEGINNING. FROM THE POINT OF BEGINNING GO SOUTH 59 DEGREES 39 MINUTES 32 SECONDS EAST A DISTANCE OF 266.45 FEET; THENCE SOUTH 30 DEGREES 39 MINUTES 21 SECONDS WEST A DISTANCE OF 105.99 FEET; THENCE NORTH 59 DEGREES 39 MINUTES 21 SECONDS WEST A DISTANCE OF 267.37 FEET; THENCE NORTH 30 DEGREES 39 MINUTES 21 SECONDS WEST A DISTANCE OF 105.51 FEET BACK TO THE POINT OF BEGINNING. HAVING AN AREA OF 28225.65 SQUARE FEET, 0.648 ACRES

## LOT 7A-2

COMMENCING FROM THE SOUTHERN RIGHT OF WAY LINE OF MONROE STREET AND THE EASTERN RIGHT OF WAY LINE OF CARROLL STREET GO ALONG SAID RIGHT OF WAY OF CARROLL STREET SOUTH 30 DEGREES 39 MINUTES 56 SECONDS WEST A DISTANCE OF 371.79 FEET TO THE POINT OF BEGINNING. FROM THE POINT OF BEGINNING GO SOUTH 59 DEGREES 33 MINUTES 21 SECONDS EAST A DISTANCE OF 267.37 FEET, THENCE SOUTH 30 DEGREES 39 MINUTES 25 SECONDS WEST A DISTANCE OF 1.87 FEET, THENCE SOUTH 30 DEGREES 39 MINUTES 25 SECONDS WEST A DISTANCE OF 1.67 FEET, THENCE NORTH 30 DEGREES 21 MINUTES 25 SECONDS WEST A DISTANCE OF 104.59 FEET, THENCE NORTH 50 DEGREES 21 MINUTES 02 SECONDS WEST A DISTANCE OF 267.59 FEET, THENCE NORTH 30 DEGREES 39 MINUTES 56 SECONDS WEST A DISTANCE OF 105.50 FEET BACK TO THE POINT OF BEGINNING. HAVING AN AREA OF 28347.81 SQUARE FEET, 0.651 ACRES



CASE NUMBER: Z24-03-03 DATE RECEIVED: DATE OF MEETING: March 12, 2024 and March 26, 2024

Address: Plot 12X Tract C Subdivision: Old Golden Shores, Plot 12X Tract C Zoning District: PD Planned District Property Owner: City of Mandeville

REQUEST: Z24-03-03 – A petition from the City Council of the City of Mandeville to amend the official zoning map of the City of Mandeville to rezone a lot designated PD Planned District to O Open Space/Recreation District, Old Golden Shores, Plot 12X Tract C, PD Planned District

### CASE SUMMARY:

The City of Mandeville purchased the property designated as Plot 12X in August 2023. The property is located south of Copal St. east of Laurel St., north of Lake Pontchartrain and west of N. Causeway Approach to the east containing 8.75 acres according to the survey by Kelly McHugh & Associates, Inc dated 6.19.23. The property is currently unimproved.

The City of Mandeville was authorized to purchase the property by Ordinance 23-24, and desires to rezone the property from its current zoning of PD Planned District to O Open Space/Recreation District.

The property borders Lake Pontchartrain and provides significant benefits to the neighboring Old Golden Shores subdivision for drainage and storm protection. The property contains both AE and VE flood zones and has a ground elevation varying from 4.7' to 8.8' MSL.

Rezoning the property to reflect the intended use will also give the City additional points toward FEMAs Community Rating System.

### **CLURO SECTIONS:**

### 6.3.21. Public Recreation and Park Services

Publicly owned and operated parks, playgrounds, recreation facilities and open space.


### 7.5.7.1. Purpose of the Open Space/Recreational District

The purpose of the open space/recreational district is to provide for open space, parks and recreational areas; for uses that are accessory thereto, as well as certain facilities that are generally associated with recreational uses; and for such other uses as are specifically permitted in this district under the provisions of these regulations.



THIS PROPERTY IS LOCATED IN FLOOD ZONE AE & VE BASE FLOOD ELEV. AS-SHOWN F.I.R.M. PANEL NO. 2202020426D, 2202020427D, REV. 05-16-2012

NOTE: OWNER OR CONTRACTOR IS RESPONSIBLE FOR VERIFYING BUILDING SETBACKS BEFORE CONSTRUCTION BEGINS.					
NO BUILDING SETBACKS SHOWN HEREON.					



CASE NUMBER: Z24-03-04 DATE RECEIVED: DATE OF MEETING: March 12, 2024 and March 26, 2024

Address: Section 51 Squares 91 & 92 Subdivision: Old Town of Mandeville, Section 51 Squares 91 & 92 Zoning District: R-1 Single Family Residential & B-1 Neighborhood Business District Property Owner: City of Mandeville

REQUEST: Z24-03-04 – A petition from the City Council of the City of Mandeville to amend the official zoning map of the City of Mandeville to rezone two squares designated R-1 Single Family Residential & B-1 Neighborhood Business District to O Open Space/Recreation District, Old Town of Mandeville, Section 51 Squares 91 & 92

### CASE SUMMARY:

The City of Mandeville purchased the property described as SQ 91 & 92 in July 2023. The property is located south of Florida St. west of Soult St., north of Montgomery St., east of Colbert St, being described as Squares 91 & 92 in the act of sale dated 7.20.2023. The property is currently unimproved.

The City of Mandeville was authorized to purchase the property by Ordinance 23-23, and desires to rezone the property from its current zoning of R-1 Single Family Residential & B-1 Neighborhood Business District to O Open Space/Recreation District.

The Villere/Montgomery ditch that drains into Bayou Castine runs through the middle of the property.

Rezoning the property to reflect the intended use will also give the City additional points toward FEMAs Community Rating System.

### **CLURO SECTIONS:**

### 6.3.21. Public Recreation and Park Services

Publicly owned and operated parks, playgrounds, recreation facilities and open space.

### 7.5.7.1. Purpose of the Open Space/Recreational District

The purpose of the open space/recreational district is to provide for open space, parks and recreational areas; for uses that are accessory thereto, as well as certain facilities that are generally associated with recreational uses; and for such other uses as are specifically permitted in this district under the provisions of these regulations.



### THE FOLLOWING ORDINANCE WAS MOVED FOR INTRODUCTION BY COUNCIL MEMBER MCGUIRE; SECONDED FOR INTRODUCTION BY COUNCIL MEMBER BUSH

### ORDINANCE NO. 23-23

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF MANDEVILLE AUTHORIZING THE MAYOR TO EXECUTE ALL NECESSARY DOCUMENTS FOR THE PURCHASE OF SQUARES 91 AND 92, TOWN OF MANDEVILLE, BOUNDED BY FLORIDA STREET, MONTGOMERY ST., SOULT ST., AND COLBERT ST. MANDEVILLE, LOUISIANA; AND PROVIDING FOR OTHER MATTERS IN CONNECTION THEREWITH

WHEREAS, the Mandeville City Council authorized the Mayor to obtain an appraisal and negotiate a purchase agreement with The Succession of John A. Marque, Sidney Rothschild, Succession of Erik Schwarz, Elizabeth Boyle, Elizabeth Goodgion, Frederic Schwarz, Adrienne Green, and Caecilie Schwarz (collectively "The Owners"), for the City's acquisition of Squares 91 and 92 of Mandeville, St. Tammany Parish, Louisiana under Resolution No. 23-01, which was adopted on January 12, 2023; and

WHEREAS, an appraisal by Scoggin Appraisal & Consulting, dated September 13, 2022 estimated the fair market value of the immovable property to be \$921,600.00. Total costs of the appraisal was \$550.00. (See Appraisal attached hereto as Exhibit "A1"); and

WHEREAS, the City of Mandeville is desirous of obtaining municipal ownership of said property as described above for the purpose of taking it out of commerce, returning it to green space and using it for drainage and absorption purposes; and

WHEREAS, the Owners of that certain real property is desirous of selling said property to the City of Mandeville for a price of \$921,600.00 (fair market value of the land); and

NOW, THEREFORE, BE IT ORDAINED by the City Council of the City of Mandeville that the Mayor of the City of Mandeville be authorized and empowered to execute all necessary documents on behalf of the City of Mandeville with the Owners in order to purchase the following described real estate for an amount up to but not to exceed \$921,600.00, plus reasonable closing costs associated with said transaction, and said conveyance from Seller shall be free and clear of all mortgages, judgments, liens, or other encumbrances:

ALL THAT CERTAIN PIECE OR PORTION OF LAND, together with all the buildings and improvements thereon, and all the rights, ways, means, privileges, servitudes, prescriptions, appurtenances and advantages thereunto, belonging or in anywise appertaining thereto, situated in SQUARES 91 AND 92 OF THE TOWN OF MANDEVILLE, PARISH OF ST. TAMMANY, STATE OF LOUISIANA.

More fully described in the Property Description attached as Exhibit A to the Purchase Agreement, and incorporated herein as Exhibit A2.

**BE IT FURTHER ORDAINED**, that this Ordinance shall take effect immediately upon the signature of the Mayor of the City of Mandeville; and

**BE IT FURTHER ORDAINED** that the Clerk of this Council be and she is hereby authorized and empowered to take any and all actions which she, in the exercise of her discretion, deems necessary to promulgate the provisions of this ordinance.

The ordinance being submitted to a vote, the vote thereon was as follows:

AYES: 5 (Danielson, McGuire, Zuckerman, Bush, Kreller) NAYS:0 ABSTENTIONS:0 ABSENT:0

and the Ordinance was declared adopted this 13th day of July, 2023

Kristine Scherer Clerk of Council

Jason Zuckerman Counçil Chairman

### SUBMITTAL TO MAYOR

The foregoing Ordinance was **SUBMITTED** by me to the Mayor of the City of Mandeville this 14th day of July, 2023 at 10:30 o'clock a.m.

### **CLERK OF COUNCIL**

### APPROVAL OF ORDINANCE

day of July, 2023 at The foregoing Ordinance is by me hereby APPROVED, this 10 o'clock <u>H.m.</u>

L. Clay Madden, MAYOR

### **VETO OF ORDINANCE**

The foregoing Ordinance is by me hereby VETOED, this \_\_\_\_\_ day of \_\_\_\_\_, 2023, at \_\_\_\_\_ o'clock \_\_\_\_m.

L. Clay Madden, MAYOR

### **RECEIPT FROM MAYOR**

CLERK OF COUNCIL

### CERTIFICATE

I, THE UNDERSIGNED Clerk of the City Council of the City of Mandeville do hereby certify that the foregoing is a true and correct copy of an ordinance adopted by the City Council of the City of Mandeville at a duly noticed, called and convened meeting of said City Council held on the 13th day of July, 2023 at which a quorum was present and voting. I do further certify that said Ordinance has not thereafter been altered, amended, rescinded, or repealed.

WITNESS MY HAND and the seal of the City of Mandeville this 14th day of July, 2023.

**CLERK OF COUNCIL** 



CASE NUMBER: Z24-03-05 DATE RECEIVED: DATE OF MEETING: March 12, 2024 and March 26, 2024

Address: Square 57 Parcels A, B, C, & D Subdivision: Old Town of Mandeville, Square 57 Parcels A, B, C, & D Zoning District: B-1 Neighborhood Business District Property Owner: City of Mandeville

REQUEST: Z24-03-05 – A petition from the City Council of the City of Mandeville to amend the official zoning map of the City of Mandeville to rezone four parcels designated B-1 Neighborhood Business District to O Open Space/Recreation District, Old Town of Mandeville, Square 57 Parcels A, B, C, & D

### CASE SUMMARY:

The City of Mandeville purchased the property described as Parcels A, B, C, & D of Square 57 in June 2022. The property is located south of Florida St., west of Jackson Ave., east of Foy St., north of Montgomery St., and contains approximately 3.965 acres as per the appraisal prepared by Scoggin Appraisal & Consulting and dated February 9, 2022. The property is currently unimproved.

The City of Mandeville was authorized to purchase the property by Ordinance 22-10, and desires to rezone the property from its current zoning of B-1 Neighborhood Business District to O Open Space/Recreation District.

This property is across the street from the current site of the Mandeville Cemetery.

Rezoning the property to reflect the intended use will also give the City additional points toward FEMAs Community Rating System.

### **CLURO SECTIONS:**


6.3.21. Public Recreation and Park Services

Publicly owned and operated parks, playgrounds, recreation facilities and open space.


### 7.5.7.1. Purpose of the Open Space/Recreational District


The purpose of the open space/recreational district is to provide for open space, parks and recreational areas; for uses that are accessory thereto, as well as certain facilities that are generally associated with recreational uses; and for such other uses as are specifically permitted in this district under the provisions of these regulations.





Form SCNLGL - "TOTAL" appraisal software by a la mode, inc. - 1-800-ALAMODE





Form SCNLGL - "TOTAL" appraisal software by a la mode, inc. - 1-800-ALAMODE

LAND FOR SALE

# 3.77 ACRES, MANDEVILLE, B-1 ZONING

Florida St, Mandeville, LA 70471



